


> INSTRUCTION MANUAL <

---

# WOODY



By HAY

# HAY



> INTRODUCTION <

---




> CARE AND MAINTENANCE <




# CONTENTS

---



WOODY - COLOUMN LOW

PAGE 8-15




WOODY - COLOUMN HIGH

PAGE 16-23


# CONTENTS

---



WOODY - LOW

PAGE 24-31




WOODY - HIGH

PAGE 32-38

# INSTRUCTION MANUAL

---

Woody  
Column low



> PARTS <

---

A X 4




B X 6



C X 6



D X 3




E X 36



F X 36




G X 1





1.

Place the 6 B parts on the A parts and tighten the screw gently.




**ATTENTION**  
**BOTTOM DISTANCE**  
**52,5mm**




Please wait to fully tighten  
the screws until step 3.

2.

Place the 6 C parts on top of the B parts and gently tighten the screw.




Please make sure to place all C parts in the same direction



3.


Place the screws to connect the A part and C part. Tighten the screw gently. When all screws are placed and fully tightened, place the F on the screw heads.




Please make sure to tighten all screws fully before placing the F part.

4.

Place the D parts on top of the C parts.








# INSTRUCTION MANUAL

---

Woody  
Column High



> PARTS <

---

A X 4




B X 12



C X 12



D X 6




E X 72



F X 72



G X 1







1.


Place the 12 x B parts on the A parts and tighten the screw gently.



ATTENTION  
TOP DISTANCE  
37,5mm




ATTENTION  
BOTTOM DISTANCE  
52,5mm




Please wait to fully tighten  
the screws until step 3.

2.

Place the 12 x C parts on top of the B parts and gently tighten the screw.  
2 persons are recommended to complete this step.




Please make sure to place all C parts in the same direction



3.


Place the screw to connect the A part and C part. Tighten the screw gently. When all screws are placed and fully tightened, place the F on the screw heads.




Please make sure to tighten all screws fully before placing the F part.

4.

Place the D parts on top of the C parts.








# INSTRUCTION MANUAL

---

Woody  
Low



> PARTS <

---

A X 8




B X 12



C X 6



D X 9




E X 72



F X 72



G X 1






1.


Place the 12 x B parts on the A parts and tighten the screw gently.



ATTENTION  
TOP DISTANCE  
37,5mm



ATTENTION  
BOTTOM DISTANCE  
52,5mm




Please wait to fully tighten  
the screws until step 3.

2.

Place the 6 x C parts and gently tighten the screw.  
2 persons are recommended to complete this step.



37,5mm



62,5mm




Please make sure to place all C parts in the same direction



3.


Place the screw to connect the A part and C part. Tighten the screw gently. When all screws are placed and fully tightened, place the F part on the screw heads.




Please make sure to tighten all screws fully before placing the F part.

4.

Place the D parts on top of the C parts.








# INSTRUCTION MANUAL

---

Woody  
High



> PARTS <

---

A X 8




B X 24




C X 12



D X 18




E X 144



F X 144



G X 1






1.


Place the 24 x B parts on the A parts and tighten the screw gently.



ATTENTION  
TOP DISTANCE  
37,5mm



ATTENTION  
BOTTOM DISTANCE  
52,5mm




Please wait to fully tighten  
the screws until step 3.

2.

Place the 12 x C parts and gently tighten the screw.  
2 persons are recommended to complete the following steps



37,5mm



62,5m




Please make sure to place all C parts in the same direction



3.


Place the screw to connect the A part and C part. Tighten the screw gently. When all screws are placed and fully tightened, place the F part on the screw heads.




Please make sure to tighten all screws fully before placing the F part.

4.

Place the D parts on top of the C parts.







Havnen 1 8700 Horsens Denmark

+45 4282 0282 / hay@hay.com

**HAY**

ITEM NO. 706354



5 710441 245872