

PRODUCT DATA SHEET

Empatia 16 Table



DESIGN BY:

Carlotta de Bevilacqua , Paola di Arianello
2013

MATERIALS:

Blown glass, methacrylate, aluminum

DESCRIPTION:

Empatia is inspired by the association between the great glass-blowing tradition and the LED technology of Artemide. High interest in the expression potentials of this material resulted into co-operation with master glass blowers to gain full control of the special suppleness of Venetian glass and to work on the balance between surface and light, between subtle densities and transparencies. Hence clear, pure craft objects, each of them unique in all respects. Transparency and opacity are wisely dosed to obtain a glass that reflects light without glaring and without losing efficiency. Hence optical device, whose heart is a high-performance LED-based light engine created separately from the glass emission body in favor of higher thermal efficiency and performance. Light is controlled with maximum yield and driven towards the glass diffuser through a transparent pipe with a very low absorption coefficient.

SELECT

LED

White

PRODUCT CODE

1813010A

Light emission



IP20

Dimmable

TECHNICAL DATA SHEET

FEATURES

Product name:	Empatia 16 Table
Article Code:	1813010A
Colour:	White
Material:	Blown glass, methacrylate, aluminum
Series:	Design

DIMENSIONS

Height:	cm 19
Diameter:	cm 16
Impact Resistance:	N/D
Glow Wire Test:	650°C


LAMPS INCLUDED

Category:	LED COB
Number:	1
Watt:	11W
Color temperature (K):	3000K
Class:	A

LUMINAIR

Watt:	11W
Luminous Flux (lm):	567lm
CCT:	3000K
Efficiency:	55%
Efficacy:	51.55lm/W
CRI:	90
Dimmer Typology:	Microswitch Dimmer

DIMENSIONS



COLOUR



AWARDS

2014 - Wallpaper Design Awards 2014 - iF Product Design Award Deutschland

PRODUCT DATA SHEET

Empatia 36 table



DESIGN BY:

Carlotta de Bevilacqua , Paola di Arianello
2013

MATERIALS:

Blown glass, methacrylate, aluminum

DESCRIPTION:

Empatia is inspired by the association between the great glass-blowing tradition and the LED technology of Artemide. High interest in the expression potentials of this material resulted into co-operation with master glass blowers to gain full control of the special suppleness of Venetian glass and to work on the balance between surface and light, between subtle densities and transparencies. Hence clear, pure craft objects, each of them unique in all respects. Transparency and opacity are wisely dosed to obtain a glass that reflects light without glaring and without losing efficiency. Hence optical device, whose heart is a high-performance LED-based light engine created separately from the glass emission body in favor of higher thermal efficiency and performance. Light is controlled with maximum yield and driven towards the glass diffuser through a transparent pipe with a very low absorption coefficient.

SELECT

LED

White

PRODUCT CODE

1821010A

Light emission



IP20


Dimmable

TECHNICAL DATA SHEET

FEATURES

Product name:	Empatia 36 table
Article Code:	1821010A
Colour:	White
Material:	Blown glass, methacrylate, aluminum
Series:	Design

DIMENSIONS



DIMENSIONS

Height:	cm 38.2
Diameter:	cm 36
Impact Resistance:	N/D
Glow Wire Test:	650°C

COLOUR



LAMPS INCLUDED

Category:	LED COB
Number:	1
Watt:	26W
Color temperature (K):	3000K
Class:	A

LUMINAIR

Watt:	26W
Luminous Flux (lm):	1273lm
CCT:	3000K
Efficiency:	51%
Efficacy:	48.96lm/W
CRI:	90
Dimmer Typology:	Touch Dimmer

PRODUCT DATA SHEET

Empatia 26 Table



DESIGN BY:

Carlotta de Bevilacqua , Paola di Arianello
2013

MATERIALS:

Blown glass, methacrylate, aluminum

DESCRIPTION:

SELECT

LED

White

PRODUCT CODE

1817010A

Light emission



IP20


Dimmable

TECHNICAL DATA SHEET

FEATURES

Product name: Empatia 26 Table
Article Code: 1817010A
Colour: White
Material: Blown glass, methacrylate, aluminum
Series: Design

DIMENSIONS



DIMENSIONS

Height: cm 29
Diameter: cm 26
Impact Resistance: N/D
Glow Wire Test: 650°C

COLOUR



LAMPS INCLUDED

Category: LED COB
Number: 1
Watt: 20W
Color temperature (K): 3000K
Class: A

LUMINAIR

Watt: 20W
Luminous Flux (lm): 710lm
CCT: 3000K
Efficiency: 50%
Efficacy: 35.49lm/W
CRI: 90
Dimmer Typology: Touch Dimmer