

## PRODUCT DATA SHEET

### Dioscuri parete-soffitto 35



#### DESIGN BY:

Michele De Lucchi  
1999

#### MATERIALS:

Blown glass, polycarbonate

#### DESCRIPTION:

Materials: thermoplastic resin ceiling support; acid-etched blown glass diffuser.

Lamp not included. The IP 65 degree of protection makes it also suitable for outdoor application.

#### SELECT

EXTRA HALO / LED

White

#### PRODUCT CODE

0116010A

#### Light emission



IP65

#### Dimmable

#### TECHNICAL DATA SHEET

#### FEATURES

Product name:	Dioscuri parete-soffitto 35
Article Code:	0116010A
Colour:	White
Material:	Blown glass, polycarbonate
Series:	Design, Outdoor
Area contract:	Hospitality Hotel, Outdoor Garden, Private Residence


#### OPTICS

Emission:	Diffused
-----------	----------

#### DIMENSIONS

Height:	cm 34
Diameter:	cm 35
Impact Resistance:	N.D.
Glow Wire Test:	850 °

#### DIMENSIONS



#### COLOUR



#### LAMPS NOT INCLUDED

<input type="checkbox"/>	Category:	HALO
	Number:	1
	Lbs:	G95
	Watt:	150W
	Socket:	E27
	Luminous Flux (lm):	2870lm
	Colour temperature (K):	2900K
	Class:	A

#### ALTERNATIVE LAMPS

##### LED retrofit

Category:	LED
Watt:	21W
Luminous Flux (lm):	2452lm
Socket:	E27
Class:	A

#### LUMINAIR

Watt:	150W
Voltage:	220V-240V
Luminous Flux (lm):	2870lm
CCT:	2900K

## AWARDS

\_2000 Design Innovationen Design Zentrum Nordrhein Westfalen Reddot Design Award Essen (Deutschland) \_2000 Design Plus Light + Building Frankfurt am Main (Deutschland)

## PRODUCT DATA SHEET

### Dioscuri parete-soffitto 42



#### DESIGN BY:

Michele De Lucchi  
1999

#### MATERIALS:

Blown glass, polycarbonate

#### DESCRIPTION:

Materials: thermoplastic resin ceiling support; acid-etched blown glass diffuser.

Lamp not included. The IP 65 degree of protection makes it also suitable for outdoor application.

#### SELECT

EXTRA HALO / LED

White

#### PRODUCT CODE

0117010A

#### Light emission



IP65

#### Dimmable

#### TECHNICAL DATA SHEET

#### FEATURES

Product name:	Dioscuri parete-soffitto 42
Article Code:	0117010A
Colour:	White
Material:	Blown glass, polycarbonate
Series:	Design, Outdoor
Area contract:	Hospitality Hotel, Outdoor Garden, Private Residence


#### OPTICS

Emission:	Diffused
-----------	----------

#### DIMENSIONS

Height:	cm 42
Diameter:	cm 42
Impact Resistance:	N.D.
Glow Wire Test:	850 °

#### DIMENSIONS



#### COLOUR



#### LAMPS NOT INCLUDED

<input type="checkbox"/>	Category:	HALO
	Number:	1
	Lbs:	G95
	Watt:	150W
	Socket:	E27
	Luminous Flux (lm):	2870lm
	Colour temperature (K):	2900K
	Class:	A

#### ALTERNATIVE LAMPS

##### LED retrofit

Category:	LED
Watt:	21W
Luminous Flux (lm):	2452lm
Socket:	E27
Class:	A

#### LUMINAIR

Watt:	150W
Voltage:	220V-240V
Luminous Flux (lm):	4200lm
CCT:	2900K

## AWARDS

\_2000 Design Innovationen Design Zentrum Nordrhein Westfalen Reddot Design Award Essen (Deutschland) \_2000 Design Plus Light + Building Frankfurt am Main (Deutschland)

## PRODUCT DATA SHEET

### Dioscuri wall/ceiling 14



#### DESIGN BY:

Michele De Lucchi  
1999

#### MATERIALS:

Blown glass, polycarbonate

#### DESCRIPTION:

Materials: thermoplastic resin ceiling support; acid-etched blown glass diffuser.

The IP 65 degree of protection makes it also suitable for outdoor application.

#### SELECT

EXTRA HALO / LED

White

#### PRODUCT CODE

1039010A

#### Light emission



IP65

#### Dimmable

#### TECHNICAL DATA SHEET

#### FEATURES

Product name:	Dioscuri wall/ceiling 14
Article Code:	1039010A
Colour:	White
Material:	Blown glass, polycarbonate
Series:	Design, Outdoor
Area contract:	Hospitality Hotel, Outdoor Garden, Private Residence


#### OPTICS

Emission:	Diffused
-----------	----------

#### DIMENSIONS

Height:	cm 13
Diameter:	cm 14
Impact Resistance:	N.D.
Glow Wire Test:	850 °

#### DIMENSIONS



#### COLOUR



#### LAMPS NOT INCLUDED

<input type="checkbox"/>	Category:	HALO
	Number:	1
	Watt:	48W
	Socket:	G9
	Class:	A

#### ALTERNATIVE LAMPS

##### LED retrofit

Category:	LED
Watt:	2,3W
Luminous Flux (lm):	200lm
Socket:	G9
Class:	A

#### LUMINAIR

Watt:	48W
Voltage:	220V-240V
Luminous Flux (lm):	980lm
CCT:	2900K

---

## AWARDS

\_2000 Design Innovationen Design Zentrum Nordrhein Westfalen Reddot Design Award Essen (Deutschland) \_2000 Design Plus Light + Building Frankfurt am Main (Deutschland)

## PRODUCT DATA SHEET

### Dioscuri wall/ceiling 25



#### DESIGN BY:

Michele De Lucchi  
1999

#### MATERIALS:

Blown glass, polycarbonate

#### DESCRIPTION:

Materials: thermoplastic resin ceiling support; acid-etched blown glass diffuser.

Lamp not included. The IP 65 degree of protection makes it also suitable for outdoor application.

#### SELECT

EXTRA HALO / LED

White

#### PRODUCT CODE

0112010A

#### Light emission



IP65

#### Dimmable

#### TECHNICAL DATA SHEET

#### FEATURES

Product name:	Dioscuri wall/ceiling 25
Article Code:	0112010A
Colour:	White
Material:	Blown glass, polycarbonate
Series:	Design, Outdoor
Area contract:	Hospitality Hotel, Outdoor Garden, Private Residence


#### OPTICS

Emission:	Diffused
-----------	----------

#### DIMENSIONS

Height:	cm 23
Diameter:	cm 25
Impact Resistance:	N.D.
Glow Wire Test:	850 °

#### DIMENSIONS



#### COLOUR



#### LAMPS NOT INCLUDED

	Category:	HALO
	Number:	1
	Lbs:	A60
	Watt:	77W
	Socket:	E27
	Luminous Flux (lm):	1320lm
	Colour Rendering:	1a
	Colour temperature (K):	2900K
	Duration (h):	1000h

#### ALTERNATIVE LAMPS

##### LED

Category:	LED
Watt:	15W
Socket:	E27
Class:	A

#### LUMINAIR

Watt:	77W
Voltage:	220V-240V
Luminous Flux (lm):	1180lm
CCT:	3000K
Efficiency:	89%

<b>Efficacy:</b>	15lm/W
<b>CRI:</b>	99

#### **AWARDS**

\_2000 Design Innovationen Design Zentrum Nordrhein Westfalen Reddot Design Award Essen (Deutschland) \_2000 Design Plus Light + Building Frankfurt am Main (Deutschland)