

30 DEGREES

DESIGN BY JOHAN VAN HENGEL



30 Degrees is a lightweight shade made of laminated oak veneer. The seamless surface is achieved by aligning the ends of semicircular veneer sheets at a 30 degree angle, so the inside cone and internal angle is always 30 degrees. The layering of the conical veneer creates a solid shade that is opaque and characterized by its harmonious woodgrain pattern. Rich in tactility, the series express a natural elegant aesthetic. All shades are sealed with a matt lacquer and supplied with a moulded locator fitting, which levels and supports the shade when suspended. 30 Degrees comes with Cord Set.

PRODUCT DETAILS

- / Part of a progressive and technologically advanced lighting collection.
- / CE approved.
- / A visually lightweight wooden directional pendant available in a variety of sizes.
- / Compatible with a standard E27 pendant cord set and replaceable E27 bulb.
- / The fitting can be used in conjunction with a number of standard wall mounted dimming control units.
- / Suitable for both private and office environments.
- / Qualified for contract use.
- / For indoor use only.

HAY

MATERIAL

SHADE / Laminated oak veneer

CORD MOUNT / Clear ABS

COLOUR & FINISH

Please note that the colour codes are indicative.

Available in 1 colour.

/ Natural Oak veneer




NATURAL OAK
VENEER

DIMENSIONS

SMALL

DIAMETER / 24 cm / 9.5"


HEIGHT / 17 cm / 6.7"



MEDIUM

DIAMETER / 33,5 cm / 13.2"


HEIGHT / 25 cm / 9.8"



LARGE

DIAMETER / 45 cm / 17.7"


HEIGHT / 35 cm / 13.8"



X-LARGE

DIAMETER / 61,5 cm / 24.2"

HEIGHT / 50 cm / 19.7"



RECOMMENDED LIGHT SOURCE*

SMALL / LED E27 (A15), 5-8W, 500-800lm, 2700-3000k, warm white

MEDIUM / LED E27 (A19), 10-13W, 1000-1500lm, 2700k, warm white

LARGE / LED E27 (A19), 10-13W, 1000-1500lm, 2700k, warm white

X-LARGE / LED E27 (A21 or G30), 10-13W, 1000-1500lm, 2700k, warm white

*Bulb not included.

CORD SET PENDANT



MATERIAL

CEILING MOUNT / Textured ABS.

CORD / Braided fabric with PVC isolation.

COLOUR

Please note that the colour codes are indicative.

Available in 1 colour

/ Soft Black (RAL 9004)




SOFT BLACK

DIMENSIONS

/ DIAMETER 10,5 cm / 4.1"

/ CORD LENGTH 400 cm / 159.4"



TECHNICAL SPECIFICATIONS

- / LIGHT SOURCE / LED E27 (bulb not included)
- / POWER (watts) / MAX 15W
- / DIMMABLE / No
- / POWER SUPPLY / 220-240V AC at 50-60Hz
- / CORD LENGTH / 400 cm
- / SWITCH / No

CERTIFICATIONS

CE approved: This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including:

- / EN 55015:2013 (radio disturbance)
- / EN 61547:2009 (EMC immunity)
- / EN 61000-3-2:2014 (EMC compatibility)
- / EN 61000-3-3:2013 (EMC compatibility)
- / EN 60598-2-4:1997 (portable luminaires)
- / EN 60598-1:2015 (general requirements)
- / EN 62493:2010 (human exposure to EMC)

DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care and maintenance instructions and CE attestation of conformity certificates are available at hay.com.

An overview of the complete HAY lighting collection and accessories, can be found at hay.dk/en/contract/products/lighting.

HAY